

1951 AMC 12

Time limit: 75 minutes

Typeset by: LIVE by Po-Shen Loh

<https://live.poshenloh.com/past-contests/amc12/1951>



Copyright: Mathematical Association of America. Reproduced with permission.

1. The percent that M is greater than N is:

A $\frac{100(M - N)}{M}$

B $\frac{100(M - N)}{N}$

C $\frac{M - N}{N}$

D $\frac{M - N}{M}$

E $\frac{100(M + N)}{N}$

2. A rectangular field is half as wide as it is long and is completely enclosed by x yards of fencing. The area in terms of x is:

A $\frac{x^2}{2}$

B $2x^2$

C $\frac{2x^2}{9}$

D $\frac{x^2}{18}$

E $\frac{x^2}{72}$

3. If the length of a diagonal of a square is $a + b$, then the area of the square is:

A $(a + b)^2$

B $\frac{1}{2}(a + b)^2$

C $a^2 + b^2$

D $\frac{1}{2}(a^2 + b^2)$

E None of these

4. A barn with a flat roof is rectangular in shape, 10 yd. wide, 13 yd. long, and 5 yd. high. It is to be painted inside and outside, and on the ceiling, but not on the roof or floor. The total number of square yards to be painted is:

A 360

B 460

C 490

D 590

E 720

5. Mr. *A* owns a home worth \$10,000. He sells it to Mr. *B* at a 10% profit based on the worth of the house. Mr. *B* sells the house back to Mr. *A* at a 10% loss. Then:

A *A* comes out even

B *A* makes \$1100 on the deal

C *A* makes \$1000 on the deal

D *A* loses \$900 on the deal

E *A* loses \$1000 on the deal

6. The bottom, side, and front areas of a rectangular box are known. The product of these areas is equal to:

- ☐ A The volume of the box
- ☐ B The square root of the volume
- ☐ C Twice the volume
- ☐ D The square of the volume
- ☐ E The cube of the volume

7. An error of $0.02''$ is made in the measurement of a line $10''$ long, while an error of only $0.2''$ is made in a measurement of a line $100''$ long. In comparison with the relative error of the first measurement, the relative error of the second measurement is:

- ☐ A Greater by 0.18
- ☐ B The same
- ☐ C Less
- ☐ D 10 times as great
- ☐ E Correctly described by both (*A*) and (*D*)

8. The price of an article is cut 10%. To restore it to its former value, the new price must be increased by:

A 10%

B 9%

C $11\frac{1}{9}\%$

D 11%

E None of these answers

9. An equilateral triangle is drawn with a side of length a . A new equilateral triangle is formed by joining the midpoints of the sides of the first one. Then a third equilateral triangle is formed by joining the midpoints of the sides of the second; and so on forever. The limit of the sum of the perimeters of all the triangles thus drawn is:

A Infinite

B $\left(5\frac{1}{4}\right)a$

C $2a$

D $6a$

E $\left(4\frac{1}{2}\right)a$

10. Of the following statements, the one that is incorrect is:

- A Doubling the base of a given rectangle doubles the area.
- B Doubling the altitude of a triangle doubles the area.
- C Doubling the radius of a given circle doubles the area.
- D Doubling the divisor of a fraction and dividing its numerator by 2 changes the quotient.
- E Doubling a given quantity may make it less than it originally was.

11. The limit of the sum of an infinite number of terms in a geometric progression is $\frac{a}{1-r}$, where a denotes the first term and $-1 < r < 1$ denotes the common ratio. The limit of the sum of their squares is:

A $\frac{a^2}{(1-r)^2}$

B $\frac{a^2}{1+r^2}$

C $\frac{a^2}{1-r^2}$

D $\frac{4a^2}{1+r^2}$

E None of these

12. At 2:15 o'clock, the hour and minute hands of a clock form an angle of:

A 30°

B 5°

C $22\frac{1}{2}^\circ$

D $7\frac{1}{2}^\circ$

E 28°

13. A can do a piece of work in 9 days. B is 50% more efficient than A . The number of days it takes B to do the same piece of work is:

A $13\frac{1}{2}$

B $4\frac{1}{2}$

C 6

D 3

E None of these answers

14. In connection with proof in geometry, indicate which one of the following statements is incorrect:

- ☐ A Some statements are accepted without being proved.
- ☐ B In some instances there is more than one correct order in proving certain propositions.
- ☐ C Every term used in a proof must have been defined previously.
- ☐ D It is not possible to arrive by correct reasoning at a true conclusion if, in the given, there is an untrue proposition.
- ☐ E Indirect proof can be used whenever there are two or more contrary propositions.

15. The largest number by which the expression $n^3 - n$ is divisible for all possible integral values of n is:

- ☐ A 2
- ☐ B 3
- ☐ C 4
- ☐ D 5
- ☐ E 6

16. If in applying the quadratic formula to a quadratic equation

$$f(x) = ax^2 + bx + c = 0,$$

it happens that $c = \frac{b^2}{4a}$, then the graph of $y = f(x)$ will certainly:

- ☐ A Have a maximum
- ☐ B Have a minimum
- ☐ C Be tangent to the x -axis
- ☐ D Be tangent to the y -axis
- ☐ E Lie in one quadrant only

17. Indicate in which one of the following equations y is neither directly nor inversely proportional to x :

- ☐ A $x + y = 0$
- ☐ B $3xy = 10$
- ☐ C $x = 5y$
- ☐ D $3x + y = 10$
- ☐ E $\frac{x}{y} = \sqrt{3}$

18. The expression $21x^2 + ax + 21$ is to be factored into two linear prime binomial factors with integer coefficients. This can be done if a is:

- ☐ A Any odd number
- ☐ B Some odd number
- ☐ C Any even number
- ☐ D Some even number
- ☐ E Zero

19. A six-place number is formed by repeating a three-place number; for example, 256,256, or 678,678, etc. Any number of this form is always exactly divisible by:

- ☐ A 7 only
- ☐ B 11 only
- ☐ C 13 only
- ☐ D 101
- ☐ E 1001

20. When simplified and expressed with negative exponents, the expression $(x + y)^{-1}(x^{-1} + y^{-1})$ is equal to:

A $x^{-2} + 2x^{-1}y^{-1} + y^{-2}$

B $x^{-2} + 2^{-1}x^{-1}y^{-1} + y^{-2}$

C $x^{-1}y^{-1}$

D $x^{-2} + y^{-2}$

E $\frac{1}{x^{-1}y^{-1}}$

21. Given $x > 0$, $y > 0$, $x > y$, and $z \neq 0$. The inequality which is not always correct is:

A $x + z > y + z$

B $x - z > y - z$

C $xz > yz$

D $\frac{x}{z^2} > \frac{y}{z^2}$

E $xz^2 > yz^2$

22. The values of a in the equation $\log_{10}(a^2 - 15a) = 2$ are:

- A $\frac{15 \pm \sqrt{233}}{2}$
- B $20, -5$
- C $\frac{15 \pm \sqrt{305}}{2}$
- D ± 20
- E None of these

23. The radius of a cylindrical box is 8 inches and the height is 3 inches. The number of inches that may be added to either the radius or the height to give the same nonzero increase in volume is:

- A 1
- B $5\frac{1}{3}$
- C Any number
- D Non-existent
- E None of these

24. When simplified, $\frac{2^{n+4} - 2(2^n)}{2(2^{n+3})}$ is:

A $2^{n+1} - \frac{1}{8}$

B -2^{n+1}

C $1 - 2^n$

D $\frac{7}{8}$

E $\frac{7}{4}$

25. The apothem of a square having its area numerically equal to its perimeter is compared with the apothem of an equilateral triangle having its area numerically equal to its perimeter. The first apothem will be:

A Equal to the second

B $\frac{4}{3}$ times the second

C $\frac{2}{\sqrt{3}}$ times the second

D $\frac{\sqrt{2}}{\sqrt{3}}$ times the second

E Indeterminately related to the second

26. In the equation

$$\frac{x(x-1)-(m+1)}{(x-1)(m-1)} = \frac{x}{m},$$

the roots are equal when:

- ☐ A $m = 1$
- ☐ B $m = \frac{1}{2}$
- ☐ C $m = 0$
- ☐ D $m = -1$
- ☐ E $m = -\frac{1}{2}$

27. Through a point inside a triangle, three lines are drawn from the vertices to the opposite sides, forming six triangular sections. Then:

- ☐ A The triangles are similar in opposite pairs
- ☐ B The triangles are congruent in opposite pairs
- ☐ C The triangles are equal in area in opposite pairs
- ☐ D Three similar quadrilaterals are formed
- ☐ E None of the above relations is true

28. The pressure P of wind on a sail varies jointly as the area A of the sail and the square of the velocity V of the wind. The pressure on a square foot is 1 pound when the velocity is 16 miles per hour. The velocity of the wind when the pressure on a square yard is 36 pounds is:

A $10\frac{2}{3}$ mph

B 96 mph

C 32 mph

D $1\frac{1}{3}$ mph

E 16 mph

29. Of the following sets of data, the only one that does not determine the shape of a triangle is:

A The ratio of two sides and the included angle

B The ratios of the three altitudes

C The ratios of the three medians

D The ratio of the altitude to the corresponding base

E Two angles

30. If two poles $20''$ and $80''$ high are $100''$ apart, then the height of the intersection of the lines joining the top of each pole to the foot of the opposite pole is:

A $50''$

B $40''$

C $16''$

D $60''$

E None of these

31. A total of 28 handshakes was exchanged at the conclusion of a party. Assuming that each participant was equally polite toward all the others, the number of people present was:

A 14

B 28

C 56

D 8

E 7

32. If $\triangle ABC$ is inscribed in a semicircle whose diameter is $\overline{AB}$, then $\overline{AC} + \overline{BC}$ must be:

A Equal to $\overline{AB}$

B Equal to $\overline{AB}\sqrt{2}$

C $\geq \overline{AB}\sqrt{2}$

D $\leq \overline{AB}\sqrt{2}$

E $\overline{AB}^2$

33. The roots of the equation $x^2 - 2x = 0$ can be obtained graphically by finding the abscissas of the points of intersection of each of the following pairs of equations except the pair:

A $y = x^2, y = 2x$

B $y = x^2 - 2x, y = 0$

C $y = x, y = x - 2$

D $y = x^2 - 2x + 1, y = 1$

E $y = x^2 - 1, y = 2x - 1$

34. The value of $10^{\log_{10} 7}$ is:

A 7

B 1

C 10

D $\log_{10} 7$

E $\log_7 10$

35. If $a^x = c^q = b$ and $c^y = a^z = d$, then:

A $xy = qz$

B $\frac{x}{y} = \frac{q}{z}$

C $x + y = q + z$

D $x - y = q - z$

E $x^y = q^z$

36. Which of the following methods of proving a geometric figure a locus is not correct?

- ☐ A Every point on the locus satisfies the conditions and every point not on the locus does not satisfy the conditions.
- ☐ B Every point not satisfying the conditions is not on the locus and every point on the locus does satisfy the conditions.
- ☐ C Every point satisfying the conditions is on the locus and every point on the locus satisfies the conditions.
- ☐ D Every point not on the locus does not satisfy the conditions and every point not satisfying the conditions is not on the locus.
- ☐ E Every point satisfying the conditions is on the locus and every point not satisfying the conditions is not on the locus.

37. A number which when divided by 10 leaves a remainder of 9, when divided by 9 leaves a remainder of 8, by 8 leaves a remainder of 7, etc., down to where, when divided by 2, it leaves a remainder of 1, is:

- ☐ A 59
- ☐ B 419
- ☐ C 1259
- ☐ D 2519
- ☐ E None of these answers

38. A rise of 600 feet is required to get a railroad line over a mountain. The grade can be kept down by lengthening the track and curving it around the mountain peak. The additional length of track required to reduce the grade from 3% to 2% is approximately:

- ☐ A 10,000 ft.
- ☐ B 20,000 ft.
- ☐ C 30,000 ft.
- ☐ D 12,000 ft.
- ☐ E None of these

39. A stone is dropped into a well and the report of the stone striking the bottom is heard 7.7 seconds after it is dropped. Assume that the stone falls $16t^2$ feet in t seconds and that the velocity of sound is 1120 feet per second. The depth of the well is:

- ☐ A 784 ft.
- ☐ B 342 ft.
- ☐ C 1568 ft.
- ☐ D 156.8 ft.
- ☐ E None of these

40. The expression

$$\left(\frac{(x+1)^2(x^2-x+1)^2}{(x^3+1)^2} \right)^2 \cdot \left(\frac{(x-1)^2(x^2+x+1)^2}{(x^3-1)^2} \right)^2$$

equals:

- A $(x+1)^4$
- B $(x^3+1)^4$
- C 1
- D $[(x^3+1)(x^3-1)]^2$
- E $[(x^3-1)^2]^2$

41. The formula expressing the relationship between x and y in the table is:

x	2	3	4	5	6
y	0	2	6	12	20

- A $y = 2x - 4$
- B $y = x^2 - 3x + 2$
- C $y = x^3 - 3x^2 + 2x$
- D $y = x^2 - 4x$
- E $y = x^2 - 4$

42. If x equals

$$\sqrt{1 + \sqrt{1 + \sqrt{1 + \sqrt{1 + \cdots}}}},$$

then:

- A $x = 1$
- B $0 < x < 1$
- C $1 < x < 2$
- D x is infinite
- E $x > 2$ but finite

43. Of the following statements, the only one that is incorrect is:

- A An inequality will remain true after each side is increased, decreased, multiplied, or divided (zero excluded) by the same positive quantity.
- B The arithmetic mean of two unequal positive quantities is greater than their geometric mean.
- C If the sum of two positive quantities is given, their product is largest when they are equal.
- D If a and b are positive and unequal, $\frac{1}{2}(a^2 + b^2)$ is greater than $\left[\frac{1}{2}(a + b)\right]^2$.
- E If the product of two positive quantities is given, their sum is greatest when they are equal.

44. If $\frac{xy}{x+y} = a$, $\frac{xz}{x+z} = b$, and $\frac{yz}{y+z} = c$, where a, b, c are other than zero, then x equals:

A $\frac{abc}{ab+ac+bc}$

B $\frac{2abc}{ab+bc+ac}$

C $\frac{2abc}{ab+ac-bc}$

D $\frac{2abc}{ab+bc-ac}$

E $\frac{2abc}{ac+bc-ab}$

45. If you are given $\log 8 = 0.9031$ and $\log 9 = 0.9542$, then the only logarithm that cannot be found without the use of tables is:

A $\log 17$

B $\log\left(\frac{5}{4}\right)$

C $\log 15$

D $\log 600$

E $\log 0.4$

46. $\overline{AB}$ is a fixed diameter of a circle whose center is O . From C , any point on the circle, a chord $\overline{CD}$ is drawn perpendicular to $\overline{AB}$. Then, as C moves over a semicircle, the bisector of angle OCD cuts the circle in a point that always:

- ☐ A Bisects the arc AB
- ☐ B Trisects the arc AB
- ☐ C Varies
- ☐ D Is as far from $\overline{AB}$ as from D
- ☐ E Is equidistant from B and C

47. If r and s are the roots of the equation $ax^2 + bx + c = 0$, the value of $\frac{1}{r^2} + \frac{1}{s^2}$ is:

- ☐ A $b^2 - 4ac$
- ☐ B $\frac{b^2 - 4ac}{2a}$
- ☐ C $\frac{b^2 - 4ac}{c^2}$
- ☐ D $\frac{b^2 - 2ac}{c^2}$
- ☐ E None of these

48. The area of a square inscribed in a semicircle is to the area of the square inscribed in the entire circle as:

A 1 : 2

B 2 : 3

C 2 : 5

D 3 : 4

E 3 : 5

49. The medians of a right triangle which are drawn from the vertices of the acute angles are 5 and $\sqrt{40}$. The value of the hypotenuse is:

A 10

B $2\sqrt{40}$

C $\sqrt{13}$

D $2\sqrt{13}$

E None of these

50. Tom, Dick, and Harry started out on a 100-mile journey. Tom and Harry went by automobile at the rate of 25 mph, while Dick walked at the rate of 5 mph. After a certain distance, Harry got off and walked on at 5 mph, while Tom went back for Dick and got him to the destination at the same time that Harry arrived. The number of hours required for the trip was:

- ☐ A 5
- ☐ B 6
- ☐ C 7
- ☐ D 8
- ☐ E None of these answers

Solutions: <https://live.poshenloh.com/past-contests/amc12/1951/solutions>

