2016 AMC 10B

Time limit: 75 minutes

Typeset by: LIVE, by Po-Shen Loh

https://live.poshenloh.com/past-contests/amc10/2016B



Copyright: Mathematical Association of America. Reproduced with permission.

1. What is the value of

$$\frac{2a^{-1}+\frac{a^{-1}}{2}}{a}$$

when $a = \frac{1}{2}$?


- A 1
- в 2
- c $\frac{5}{2}$
- D 10
- E 20

- **2.** If $n \heartsuit m = n^3 m^2$, what is $\frac{2 \heartsuit 4}{4 \heartsuit 2}$?
 - $\mathsf{A} \quad \bigg] \quad \frac{1}{4}$
 - $\frac{1}{2}$
 - c 1
 - D 2
 - E 4
- **3.** Let x=-2016. What is the value of

$$igg| \Big| |x| - x \Big| - |x| \Big| - x?$$

- A -2016
- в 0
- c 2016
- D 4032
- E 6048

| 4. | Zoey read 15 books, one at a time. The first book took her 1 day to read, the second book took her 2 days to read, the third book took her 3 days to read, and so on, with each book taking her 1 more day to read than the previous book. Zoe finished the first book on a Monday, and the second on a Wednesday. On what day the week did she finish her 15 th book? | |
|----|--|-----------|
| | Α | Sunday |
| | В | Monday |
| | С | Wednesday |



Friday

13

16

19

22

25

Saturday

D

Ε

Α

В

С

D


Ε

| 6. | Laura added two three-digit positive integers. All six digits in these numbers are | | | |
|----|--|--|--|--|
| | different. Laura's sum is a three-digit number $S.$ What is the smallest possible | | | |
| | value for the sum of the digits of S ? | | | |
| | A 1 | | | |
| | B 4 | | | |

B 4
C 5
D 15
E 21

7. The ratio of the measures of two acute angles is 5:4, and the complement of one of these two angles is twice as large as the complement of the other. What is the sum of the degree measures of the two angles?


A 75
B 90
C 135
D 150
E 270



- **9.** All three vertices of $\triangle ABC$ lie on the parabola defined by $y=x^2$, with A at the origin and \overline{BC} parallel to the x-axis. The area of the triangle is 64. What is the length of BC?
 - A
 4

 B
 6

 C
 8
 - D 10
 - E 16



A 14.0

в 16.0

c 20.0

D 33.3

E 55.6

11. Carl decided to fence in his rectangular garden. He bought 20 fence posts, placed one on each of the four corners, and spaced out the rest evenly along the edges of the garden, leaving exactly 4 yards between neighboring posts. The longer side of his garden, including the corners, has twice as many posts as the shorter side, including the corners. What is the area, in square yards, of Carl's garden?


A 256

в 336


c 384

D 448

| | lifferent numbers are selected at random from $\{1,2,3,4,5\}$ and multiplied her. What is the probability that the product is even? |
|---|---|
| A | 0.2 |



13. At Megapolis Hospital one year, multiple-birth statistics were as follows: Sets of twins, triplets, and quadruplets accounted for 1000 of the babies born. There were four times as many sets of triplets as sets of quadruplets, and there was three times as many sets of twins as sets of triplets. How many of these 1000 babies were in sets of quadruplets?



| 14. | How many squares whose sides are parallel to the axes and whose | vertices have |
|-----|--|---------------|
| | coordinates that are integers lie entirely within the region bounded | by the line |
| | $y=\pi x$, the line $y=-0.1$ and the line $x=5.1$? | |

A 30

в 41

c 45

D 50

E 57

15. All the numbers 1, 2, 3, 4, 5, 6, 7, 8, 9 are written in a 3×3 array of squares, one number in each square, in such a way that if two numbers are consecutive then they occupy squares that share an edge. The numbers in the four corners add up to 18. What is the number in the center?


A 5

в 6

c 7

D 8

16. The sum of an infinite geometric series is a positive number S, and the second term in the series is 1. What is the smallest possible value of S?



в 2

c $\sqrt{5}$

D 3

E 4

17. All the numbers 2,3,4,5,6,7 are assigned to the six faces of a cube, one number to each face. For each of the eight vertices of the cube, a product of three numbers is computed, where the three numbers are the numbers assigned to the three faces that include that vertex. What is the greatest possible value of the sum of these eight products?

A 312

в 343

c 625


D 729

| 18. In how many ways can 345 be written as the sum of an increasing sequence of two or more consecutive positive integers? |
|--|
| A 1 |
| В 3 |

c 5


D 6

19. Rectangle ABCD has AB=5 and BC=4. Point E lies on \overline{AB} so that EB=1, point G lies on \overline{BC} so that CG=1, and point F lies on \overline{CD} so that DF=2. Segments \overline{AG} and \overline{AC} intersect \overline{EF} at Q and P, respectively. What is the value of $\frac{PQ}{EF}$?



- $\begin{array}{c|c} \mathsf{A} & \frac{\sqrt{3}}{16} \end{array}$
- $\begin{array}{c|c} & & \frac{\sqrt{2}}{13} \end{array}$
- $\begin{array}{c|c} c & \frac{9}{82} \end{array}$
- D $\frac{10}{91}$
- $\mathsf{E} \qquad \frac{1}{9}$

- **20.** A dilation of the plane—that is, a size transformation with a positive scale factor—sends the circle of radius 2 centered at A(2,2) to the circle of radius 3 centered at A'(5,6). What distance does the origin O(0,0), move under this transformation?
 - **A** 0
 - в 3
 - c $\sqrt{13}$
 - D 4
 - E 5
- **21.** What is the area of the region enclosed by the graph of the equation $x^2+y^2=|x|+|y|$?
 - A $\pi + \sqrt{2}$
 - B $\pi+2$
 - c $\pi + 2\sqrt{2}$
 - D $2\pi + \sqrt{2}$
 - E $2\pi+2\sqrt{2}$



A 385

в 665

c 945

D 1140

E 1330

23. In regular hexagon ABCDEF, points W,X,Y, and Z are chosen on sides $\overline{BC},$ $\overline{CD},\overline{EF},$ and \overline{FA} respectively, so lines AB,ZW,YX, and ED are parallel and equally spaced. What is the ratio of the area of hexagon WCXYFZ to the area of hexagon ABCDEF?

 $\begin{array}{c|c} A & \frac{1}{3} \end{array}$

 $\begin{array}{c|c} & 10 \\ \hline 27 \end{array}$

c $\frac{11}{27}$

 $\begin{bmatrix} \mathsf{D} \end{bmatrix} \quad \frac{4}{9}$

 $\mathsf{E} \qquad \frac{13}{27}$

24. How many four-digit integers abcd, with $a \neq 0$, have the property that the three two-digit integers ab < bc < cd form an increasing arithmetic sequence?

One such number is 4692, where $a=4,\,b=6,\,c=9,$ and d=2.

- A 9
- в 15
- c 16
- D 17
- E 20
- **25.** Let

$$f(x) = \sum_{k=2}^{10} (\lfloor kx
floor - k \lfloor x
floor),$$

where $\lfloor r \rfloor$ denotes the greatest integer less than or equal to r. How many distinct values does f(x) assume for $x \geq 0$?

- A 32
- в 36
- c 45
- D 46
- E infinitely many

Solutions: https://live.poshenloh.com/past-contests/amc10/2016B/solutions

